





Parts for wire-cut EDM

www.edmparts.com

Toll Free (888) 771-3336
Phone (630) 427-1603
Fax (630) 427-1633

New Location :
958 N. DuPage Ave.
Lombard, IL 60148






MITSUBISHI

M001	X054D125H03 X054D125H05	DC015A		Power feed contact - upper&lower Ø7.0/Ø0.7 x 22 mmL N.F.F1.G.H.H1.HA.C - manual	
M001S				Power feed contact / index type Ø7.0/Ø0.7 x 22 mmL G.H.HA series	
M002	X054D129H04 X054D476H01	DA284A		X054D476H01 Power feed contact lower Ø7 x 22 mmL F.F1.G.H.HA.SA.SB.SZ - SK1.SK2.SK3.AF1	
M002S	X054D476H01	DD919A		Replaced by X054D129H04 Power feed contact lower Ø7.0/Ø0.7 x 22 mmL H.G (SK2.SK3) / F1.F.G (SK1) / HA.SZ.SB (AF1)	
M003A	X054D216H01	DD216A		Power feed contact upper-A Ø2.9/Ø0.7 x 16 mmL G.F1.F series - SK1	
M003B				Power feed contact upper-B Ø2.9/Ø0.5 x 16 mmL G.F1.F series - SK1	
M004A	X054D199H01	DC648A		Power feed contact upper-B Ø2.9/Ø0.7 x 16 mmL G.F1.F series - SK1	
M004B				Power feed contact upper-A Ø2.9/Ø0.5 x 16 mmL G.F1.F series - SK1	
M005	X054D345H01	DA286A		Power feed contact upper 3.0 x 27.5 x 2.5 mmT H.G ----- SK2.SK3 PA.SA.SZ.HA.SB.H1 ----- AF1	
M005G	X054D345H02	DD376A		Power feed contact upper - coated 3.0 x 27.5 x 2.5 mmT H.G ----- SK2.SK3 PA.SA.SZ.HA.SB.H1 ----- AF1	
M005T				Power feed contact upper - cermit long life type 3.0 x 27.5 x 2.5 mmT H.G ----- SK2.SK3 PA.SA.SZ.HA.SB.H1 ----- AF1	
M006	X054D024H01			Power feed contact / lower 16 x 16 x 9.0 mmT (Ø7.0 mm) DWC70 200 series - manual	







MITSUBISHI

M008	X054D186H02	DA289A		Power feed contact - upper&lower fine wire option 10 x 6.0 x 8.0 mm H1. HA series - manual	
M009	X056C075H04	DP478A		Power feed contact - upper&lower Ø24.8 x Ø10 x 19.9 mmL QA.RA.FX.CX.PA.FX-K.HA.FA series	
M009-1	X059D448G52	DQ745A		X268D042G51 Plastic pin for M009 Ø10+0.15~0.2 mm QA.RA.FX.CX.PA.FX-K.HA.FA series	
M009L				Power feed contact long life - upper&lower Ø24.8/Ø10 x 19.9 mmL QA.RA.FX.CX.PA.FX-K.HA.FA series	
M009N	X056C432H01 X056C075H05	DP395A		Replaced by X056C075H06 Power feed contact non polished - upper&lower Ø24.8/Ø10 x 19.9 mmL QA.RA.FX.CX.PA.FX-K.HA.FA series	
M009V	X055C118H02	DQ206A		Power feed contact - upper&lower Ø24.8 x Ø10 x 19.9 mmL FA-V.FA-VS series - AT	
M009VN	X055C118H02	DQ206A		Power feed contact non polished - upper&lower Ø24.8 x Ø10 x 19.9 mmL FA-V.FA-VS series - AT	
M010	X054D990H01	DA781A		Power feed terminal for annealing auto-threading cut. Ø8.0 x 21 mmL (tap=10 mmL) HA.SA.SB.SZ.SX.CX.FX.FK-K.RA.FA.FA-V.FA-S. BA.NA.MV - AF2.AF3.AT.AT2	
	X058D459H03			Detection pin Ø8.0 x 20 mmL HA.SA.SB.SZ.SX.CX.FX.QA.RA.FA series	
M011	X088D493H02	DCR46A		Power feed contact - upper&lower 5.0 x 18 x 38 mm BA-8/24.NA series	
M012	X089D256H01(2)	DEG23A		X089D256H02 Power feed contact upper&lower 5.2 x 18 x 41.2 mm MV - Intelligent AT	
M012		DEU42A		Power feed contact - upper&lower MV series	
M101-1	X053C082G58			Diamond guide upper/lower N.F series - manual	

MITSUBISHI

M101-1	X053C082G60			Diamond guide upper/lower N.F series - manual	
	X053C082G51	DD717A			
	X053C082G56	DD719A			
	X053C082G65	DD732A			
	X053C082G68				
	X053C082G69				
	X053C082G70				
M101-2	X052B040G62		Ø0.105	Diamond guide upper/lower F1.G series - manual	
	X052B040G63		Ø0.155		
	X052B040G64	DD779A	Ø0.205		
	X052B040G65	DD692A	Ø0.255		
	X052B040G66	DD716A	Ø0.305	Diamond guide upper/lower 90PG - manual (fine wire option)	
	X052B040G54		Ø0.202		
	X052B040G55		Ø0.252		
	X052B040G56		Ø0.302		
M102	X053C188G57		Ø0.105	Diamond guide lower - F1.G.H series - SK1	
	X053C188G58		Ø0.155		
	X053C188G54	DD744A	Ø0.21	Diamond guide lower F1.G - SK H.H' -- SK1.SK2	
	X053C188G55	DD746A	Ø0.26		
	X053C188G56	DD747A	Ø0.31		
M103	X052B054G51		Ø0.105	Diamond guide upper/lower 90PH.HA.H1.C.H - manual	
	X052B054G52		Ø0.155		
	X052B054G53	DA120A	Ø0.205		
M103	X052B054G54	DA119A	Ø0.255	Diamond guide upper/lower 90PH.HA.H1.C.H - manual	
	X052B054G55	DA118A	Ø0.305		

MITSUBISHI

M104	X052B092G54	DC571A	Ø0.21	Diamond guide lower H' series - SK3	
	X052B092G55	DD849A	Ø0.26		
	X052B092G56	DD843A	Ø0.31		
M105	X053C137G64 X053C137G54	DD780A DE593A	Ø0.21	Diamond guide upper Ø4.0 x 16(+7.0 Tap) mmL F.F1.G series - SK1	
	X053C137G65 X053C137G55	DD767A DE594A	Ø0.26		
	X053C137G66 X053C137G56	DD782A DE595A	Ø0.31		
M105-1	X054D190H03	DD045A		Set pipe upper for C137G Ø4.0 x 50 mmL F.F1.G series	
M106	X052B102G53	DC717A	Ø0.205	Diamond guide upper Ø4.0 x 60 mmL H.H' series - SK1	
	X052B102G54	DC847A	Ø0.255		
	X052B102G55	DD796A	Ø0.305		
	X052B102G51		Ø0.105		
	X052B102G52		Ø0.155		
M107	X052B123G53	DA115A	Ø0.205	Diamond guide upper SA.SB.SZ.HA.H1 series - AF1	
	X052B123G54	DA114A	Ø0.255		
	X052B123G56 X052B157G53	DA113A	Ø0.31		
M107-1	X052B240G52	DD795A	Ø0.205	Diamond guide upper with hole-ceramic SA. SB. SZ. HA. H1 series - AF1	
	X052B240G53	DD887A	Ø0.255		
	X052B240G54	DD888A	Ø0.31		
M108	X054D162G54			Set screw lower - Ø0.4 M12 - Ø10.5 x 11 mmT F.F1.G.N series - manual	
M109	X054D171G54	DC697A		Die guide A upper M12 x Ø0.40 x 11 mmL G.F.F1.H.H' series - SK1.SK2.SK3	
M110	X053C136G52		Ø0.4	Eccentric center dies upper F.F1.G series - SK1	
	X053C136G54		Ø0.6		




MITSUBISHI

M111	X053C245H02			Die holder for PFC upper/lower G.H.H1.HA.C.SA.SB.SZ series manual.SK3.AF	
M111-1				O-ring for M111 G.H.H1.C.SA.SB.SZ series	
M112	X053C299G51			Eccentric center dies upper with 0.5 mm groove Ø0.4 x 9.5 mmL G. H. H' series -SK1.SK2.SK3	
M113	X053C628G51			Set screw ceramic lower Ø0.4 x 12.5 mmT H1.HA.SA.SB.SZ series - AF1	
M114	X053C241G52			Set screw upper/lower Ø0.4mm - M12 - Ø11 x 13.5 mmT H.H'.HA.C series - manual diamond (JP=SUS)	
M117	X052B176G51		Ø0.105	Diamond guide lower H1.HA.SA.SB.SZ series - AF1	
	X052B176G52		Ø0.155		
	X052B176G53	DA123A	Ø0.205		
	X052B176G54	DA111A	Ø0.255		
	X052B176G55	DA110A	Ø0.31		
M117-1	X052B241G54	DD861A	Ø0.255	Diamond guide lower with air hole H1.HA.SA.SB.SZ series - AF1	
	X052B241G55	DD877A	Ø0.31		
	X052B241G53	DD894A	Ø0.205		
	X052B241G51		Ø0.105		
	X052B241G52		Ø0.155		
M117T	X053C602G52		Ø0.26	Diamond guide lower for taper H1.HA.SA.SB.SZ series - AF1	
	X053C602G53		Ø0.31		
M120	X053C524G51			Set screw upper M12 - Ø11.5 x Ø0.4 x 13 mmT H1.HA.SA.SB.SZ series - AF1	
M122	X053C012G54		Ø0.21	Diamond guide upper/lower DWC-70 ... 200 series - manual. AF	

MITSUBISHI

M122	X053C012G56		Ø0.26	Diamond guide upper/lower DWC-70 ... 200 series - manual. AF	
	X053C012G57		Ø0.31		
M124	X053C104G54	DD696A	Ø0.21	Diamond guide lower - Ø0.21 mm F series - SK1	
	X053C104G55	DD701A	Ø0.26		
	X053C104G56	DD703A	Ø0.31		
M125	X053C153G55 X054D153G55	DJ519A		Sub guide upper - Ø0.4 F.F1.G.H series - SK1.SK2.SK3	
M126	X053C508G51	DA097A		Sub dies guide "B" upper "HSWB" - Ø0.35/Ø0.40 Ø12 x 33.5 mmL H1.HA.SA.SB.SZ series - AF1	
M127	X053C557G51	DA100A		Sub dies guide "A" - Ø0.5 H1.HA.SA.SB.SZ series - AF1 1pc	
M129-1	X927D278H01			Compression coil spring for M129C	
M129-2				O-ring for spring for M129C	
M129C	X058D054H02	DA801A	Ø1.5	Jet nozzle ceramic NA Ø23 x 21 mm	
	X054D826H06	DC454A	Ø0.5		
	X054D826H08	DC839A	Ø1.0		
			Ø2.0		
M130A	S684D823P13		Ø0.5	Jet nozzle upper - Ø0.5 mm SUS inserted ceramic H1.HA.SA.SB.SZ - AF1	
	S684D823P14		Ø1.0		
	S684D898P61		Ø1.5		
M131	X177B558H02	DA212A		Sub dies holder upper Ø26 x 54.5 mm H1.HA.SA.SB.SZ - AF1	
M132	X053C834G51		Ø0.105	Diamond guide upper RA.FA.FA-V.NA type-P	

MITSUBISHI

M132	X053C834G52		Ø0.155	Diamond guide upper RA.FA.FA-V.NA type-P	
	X053C834G53	D6310A	Ø0.205		
	X053C834G54	D6311A	Ø0.255		
	X053C834G56	D6312A	Ø0.31		
	X056C833G53	D6039A	Ø0.31	Diamond guide upper - Ø0.31 mm RA.FA.FA-V.NA - AT	
	X056C833G51	D6307A	Ø0.21		
	X056C833G52	D6308A	Ø0.26		
M132-1	X056C412G51		Ø0.055	Diamond guide upper for fine wire option - double diamonds PX-05.90PA.NA - AF2.AF3	
	X056C412G54		Ø0.075		
	X056C412G55		Ø0.105		
M133	X052B243G63	DA760A	Ø0.105	Diamond guide upper HA.SA.SB.SZ.SX.CX.FX.FX-K.QA.FA-S.BA.NA series - AF2.AF3.AT2	
	X052B243G64	DA761A	Ø0.155		
	X052B243G61	D6300A	Ø0.205		
	X052B243G65 X052B507G55	D6301A	Ø0.255		
	X052B243G62	D6302A	Ø0.31		
	X052B387G51	D6297A	Ø0.21	Diamond guide lower FA.FA-V.RA.NA - AT	
	X052B387G52	S6298A	Ø0.26		
	X052B387G53	D6299A	Ø0.31		
	X056C426G51		Ø0.055	Diamond guide lower for fine wire option PX-05.90PA.NA - AF2.AF3	
	X056C426G52		Ø0.105		
	X056C426G53		Ø0.075		
	X056C426G54		Ø0.035		
	M134	X204D293H02	DA875A		

MITSUBISHI

M135	X054D896G51	DA537A		Sub dies "A" upper - Ø0.5 HA.SA.SB.SZ.SX.CX.FX.FX-K.QA - AF2.AF3	
M136	X054D897H01	DA522A		Holder for sub dies "B" upper - Ø0.5 HA.SA.SB.SZ.SX.CX.FX.FX-K.QA - AF2.AF3	
M137	X058D963G51	DH302A		Sub dies "B" Ø0.50mm RA.FA.FA-V.BA.NA.MV series - AT.AT2	
M138	X059D084G51	DAC02A		Sub dies "A" - Ø1.00 mm RA.FA.FA-V.BA.NA.MV series - AT.AT2	
M139	X054D496G51	DC800A		Guide pipe "A" upper for wire 0.1 & 0.15 mm Ø4.0 x Ø0.5 x 136mmL H1.HA.SA.SB.SZ series - AF1	
M140	X054D504G51	DC830A		Guide pipe "A" upper Ø4.0 x Ø0.8 x 136mmL H1.HA.SA.SB.SZ series - AF1	
M141	X053D499G51	DA257A		Guide pipe "B" upper for wire 0.1 & 0.15 mm Ø13 x Ø0.5 x 84.5mmL H1.HA.SA.SB.SZ series - AF1	
M142	X054D424G56	DA258A		Guide pipe "B" upper Ø13 x Ø0.8 x 84.5mmL H1.HA.SA.SB.SZ series - AF1	
M143	X054D980G51	DB850A		Guide pipe "A" upper Ø18 x 115 mmL HA.SA.SB.SZ.SX - AF2.AF3	
M144	X054D836G53	DC512A		Guide pipe "B" upper Ø12.7 x 95 mmL HA.SA.SB.SZ.SX - AF2.AF3	
M145	X058D975G52	DJ499A		Guide pipe upper Ø14 x 123.4 mmL RA.FA.FA-V series - AT	
M145 set				Guide pipe RA.FA.FA-V series - AT	

MITSUBISHI

M145-1				Pipe block RA.FA.FA-V series - AT	
M145-2				Ceramic Guide RA.FA.FA-V series	
M146	X056C507G51			Guide "U" upper - Ø0.4 72 x 34 x 9.4 mmT QA.FX-K.PX-05 series - AF3	
M147	X053C884G52	DA769A		Guide "D" lower - Ø0.40 mm 60 x 33 x 12.5 mmT CX.FX.SX.QA.PX-05 series - AF3	
M148	X056C274G51			Guide "U" upper - Ø0.4 80.4 x 34 x 9.4 mmT FX series - AF3	
M149	X056C846G51	DJ803A		Guide "U" upper - Ø0.4mm 72 x 33 x 13.5mmT FA.RA.NA.MV series - AT	
M150	X053C884G55	DK315A		Guide "D" lower - Ø0.8 60 x 33 x 12.5 mmT FA.FA-V.RA series - AT	
M151	X052B627G64	DEG26A	Ø0.205	Wire guide upper MV - intelligent AT	
	X052B627G63	DEG27A	Ø0.255		
	X052B627G62	DEG28A	Ø0.305		
M152	X052B609G64	DEG34A	Ø0.205	Wire guide lower MV - intelligent AT	
M152	X052B609G63	DEG35A	Ø0.255	Wire guide lower MV - intelligent AT	
	X052B609G62	DEG36A	Ø0.305		
M153	X085C032G51	DEH09A		Sub dies "ABC"	
M154	X085C079G53	DEG39A		Guide "UD" MV	

MITSUBISHI

M155	X085C096G53	DEG40A		Guide "C" "UD" MV	
M160				Jet Nozzle Ø0.5/Ø1.0/Ø1.5 mm MV type	
M200	X183C443H01	DC4549A	Ø4.5	Water nozzle - upper Ø46 x 25 mmT HA.H1.C.H series. 90PH standard DWC200H only for 5-axis	
	X183C443H02		Ø8.0		
M202A	X183C439H01	DA146A		Water nozzle Ø4.5 mm - upper with ditch Ø60 x 28 mmT H'.H series(SK). 90PH(manual) HA.H1.C.H series	
M202B	X183C439H01		Ø4.0	Water nozzle upper Ø4.0 mm - Ø60 x 28 mmT H ----- SK HA.H1.H.90PH - manual	
	X183C439H02		Ø6.0		
	X183C439H03	DA1143A	Ø8.0		
M205L set				M202 type- special long nozzle set L=20/30/40 mmL Ø60 x 28(+L) mmT H - SK / HA.H1.H.90PH - manual	
M205L long				Only for long nozzle optional L=20/30/40 mmL H - SK / HA.H1.H.90PH - manual	
M205L				Water nozzle only for long type Ø60 x 28 mmT H - SK / HA.H1.H.90PH - manual	
M207A	X053C491H01			Nozzle lower with ditch Ø4.0 mm - Ø38 x 31 mmT plastic-brass type of M2102 HA.H1.C.H.90PH - manual	
M207B	X053C491H01		Ø4.0	Water nozzle lower (plastic+brass type of M2102) Ø38 x 31 mmT HA.H1.C.H.90PH - manual	
	X053C491H02		Ø6.0		
	X053C491H03		Ø8.0		
M207L				Water nozzle lower long type H ----- SK HA.H1.H.90PH - manual	

MITSUBISHI

M210	X053C621H01			Water nozzle lower - one side cut Ø4.0/Ø6.0/Ø8.0 mm - Ø38 x 31 mmT PA.A.Z.HA.B.H1 series - AF1	
M2101	X053C621H01	DA145A	Ø4.0	Water nozzle ceramic lower - one side cut Ø38 x 31 mmT PA.A.Z.HA.B.H1 series - AF1	
	X053C621H02		Ø6.0		
	X053C621H03	DA144A	Ø8.0	Water nozzle ceramic lower - one side cut Ø38 x 31 mmT PA.A.Z.HA.B.H1 series - AF1	
			Ø12.0		
M2102	X054D209H11 X054C491H01	DC504A	Ø4.0	Flushing nozzle ceramic lower Ø38 x 31 mmT G.F1 - SK / 90PG - manual	
	X054D209H12	DC882A	Ø6.0		
	X054D209H13		Ø8.0		
M2103	X054D881H07 X054D881H03		Ø4.0	Replaced by X054D881H03 Flushing nozzle ceramic lower Ø41 x 25.5 mmT HA.SA.SB.SZ.SX.CX.FX.FX-K.QA.FA-S.BA.NA	
	X054D881H02 X154D881H04		Ø8.0		
	X054D881H05		Ø12.0		
			Ø15.0		
M2103-1	X194D428H04			Spring for nozzle M2103/M212 Ø20 x 18 mm	
M211	X183C378H01	DA147A		Flushing nozzle upper Ø4.0/Ø8.0 mm - Ø60 x 23 mmT PA.A.Z.HA.B.H1 series (AF1)	
M211-1				Flushing nozzle upper with ditch Ø4.0 mm - Ø60 x 23 mmT HA.H1.SA.SB.SZ series (AF1)	
M212				Flushing nozzle lower - both side cut Plastic-brass type for M2103 Ø4.0/Ø6.0/Ø8.0 mm - Ø41 x 25.5 mmT HA.SA.SB.SZ.SX.CX.FX.FX-K.QA.FA-S.BA.NA	
M212A				Flushing nozzle lower with ditch Ø4.0 mm - Ø41 x 25.5 mmT CX.FX.SX.FA.QA.RA.PX.PA.FX-K.FA-S.NA.	
M212L	X054D918H01		Ø4.0	Plastic flushing nozzle FS lower Ø41 x 25.5(+5.0) mmL FA.RA.QA.PX.FX-K.CX.SX.PA.A.Z.HA.B series FX30 only	
	X054D918H02		Ø8.0		

MITSUBISHI

M215	X056C836H01 X186C793H01	DQ442A	Ø4.0	Flushing nozzle - upper for M216/M218 Ø64.9 x 21.5 mmT HA.SA.SB.SZ.SX.CX.FX.FX-K.QA.FA- S.BA.NA.MV	
	X056C836H02 X186C793H02	DQ443A	Ø8.0		
	X186C793H03		Ø12.0		
M215-0				O-ring for M215	
M215-1	X186C793H01			Water nozzle - upper - Ø73 Ø4.0/Ø8.0/Ø12 mm CX.SX.FX series - AF2.AF3	
M215-2				Water nozzle - upper - Ø85 Ø4.0/Ø8.0/Ø12 mm FX.FA series - AF2.AF3	
M215L				Water nozzle - upper M215 long Ø4.0 x Ø64.9 x 21.5(+L) mmT	
M215L set				Water nozzle - upper M215 long Ø4.0 x Ø64.9 x 21.5(+L) mmT L=10/20/30/40 mm	
M216	X182B458G02	DB788A		Flushing nozzle holder - upper for M215 Ø63 x Ø15.5 x 20 mmT with 8-holes HA.SA.SB.SZ.SX.CX series	
M216-1	X187B370H03	DF698A		Flushing nozzle holder - upper for M215 Ø73 x Ø15.5 x 22 mmT with 8-holes FA.FX30.FX-K.QA.RA series	
M217	X196C451H01	DA868A	Ø4.0	Flushing nozzle upper for M219 Ø48 x 17 mmT only FX10.FX20 series - AF3	
	X196C451H02	DA869A	Ø8.0		
M219	X182B957H01			Water nozzle upper holder for M217 Ø75 x 20 mmT with 6-holes only FX10.FX20 series - AF3	
M220	X085C155H01	DEG41A	Ø4.0	Water nozzle upper - Ø4.0 mm Ø53 x 20.6 mmT MV - intelligent AT	
	X085C155H02	DEG42A	Ø7.0		
			Ø12.0		
M221	X085C131H01(11)	DEG44A	Ø4.0	Water nozzle lower Ø42 x 23.6 mmT MV - intelligent AT	

MITSUBISHI

M221	X085C131H02(12)	DEG45A	Ø7.0	Water nozzle lower Ø42 x 23.6 mmT MV - intelligent AT	
			Ø12.0		
M301	X053C162H01			Isolator plate upper 100 x 68 x 33 mmT F1.G.H.H'.H1.HA.C - manual for taper cut	
M302	X054D185G51			Isolator plate lower 120 x 105 x 11(+5.5) mmT F1.G.H.H' - manual	
M303	X053C228G52			Isolator plate lower 120 x 105 x 11(+5.5) mmT F1.G.H.H' series - SK1	
M303-1	X183C065G52			Isolator plate lower 120 x 104 x 10 mmT F.G.H series - SK1.SK2	
M303-2	X175C508H01			Isolator plate lower 120 x 104 x 11 mmT H series - SK3	
M303-3				Isolator plate lower 120 x 104 x 11 mmT H series - SK3	
M304	X052B166G51			Isolator plate lower 115 x 106 x 25 mmT SA.SB.SZ series - AF1.AF2	
M305	X053C443H01			Isolator plate lower 115 x 80 x 30 mmT DWC110HA.110H1.200HA.200H1 - manual.AF	
M306	X053C314H01			Isolator plate lower 76 x 70 x 30 mmT DWC90H1.90HA.90C series - manual.AF	
M307	X056C110G51			Replaced by X056C110G51 Isolator plate lower Ø115 x 15 mmT SX.CX series (AF2/3)	
M308	X056C273G51			Isolator plate lower Ø115 x 20 mmT FX10.RA90 - manual/AF	

MITSUBISHI

M309	X056C356G51(2)	DA984A		Isolator plate lower Ø125 x 20 mmT FX20.FX20-K.FX30.FX30-K - manual. AF	
M310	X056C968G51	DK888A		Isolator plate lower Ø125 x 20 mmT (115 x 100 x 20 mmT) FA10 series - AT	
M311				Isolator plate	
M400	X198D838H01			Aspirator lower with O-ring H1.HA.C.SA.SB.SZ series - manual.AF1.AF2	
M400-1	X194D998H02	DA334A		Rectifier ring lower H'.H1.HA.SA...SX.CX.FX.QA.RA.FA manual.AF1.AF2.SK3	
M401-1				Shaft for roller M401 Ø19/Ø12/Ø8.0 x 51 mmL H'.H.G.F1.F series - SK1.SK2	
M401C	X058D078G51	DB721A		Pinch roller ceramic Ø57 x 18 mmT CX - beginning period - AF3	
	X054D257G51	DC421A		Pinch roller ceramic Ø57 x 18 mmT H'.H.G.F1.F series - SK1.SK	
M402-1	X176C305H02			Shaft for roller M402C Ø15 x 126 mmL F.G.H series	
M402-2	X194D152H01			Shaft cover / fixing plate for 12 mm shaft for roller M402 Ø58 x 11 mm 90H.H series	
M402C	X058D077G51	DB720A		Capstan roller ceramic Ø57/Ø10 x 18 mmT CX - beginning period - AF3	
	X054D256G51	DC407A		Capstan roller ceramic Ø57/Ø10 x 18 mmT H'.H.G.F1.F series - SK1.SK	
M403-1				Shaft for roller M403 Ø19/Ø12/Ø8.0 x 51 mmL H1.HA.SZ.HA.SB.SA - AF1.AF2 110PH ----- SK3	
M403-2				Collection spring H.HA.SZ.SA series	

MITSUBISHI

M403C	X054D413G51	DA169A		Pinch roller without gear Ø57/Ø19 x 25 mmT H1.HA.SZ.HA.SB.SA - AF1.AF2 110PH ----- SK3	
M404-1	X175C862H01			Roller shaft long type Ø12 x 112 mmL 200H1/H series H1.H series	
M404-2	X183C679H01			Roller shaft Ø15 x 112 mmL H2 series	
M404-3	X198D458H02			Shaft cover for roller Ø57.3/Ø15 x 17.3 mmT H1.H2.HA series	
M404C	X054D412G53	DA278A		X054D412G51 Capstan roller without gear Ø57/Ø10 x 25 mmT H1.HA.SZ.HA.SB.SA - AF1.AF2 110PH ----- SK3	
M405-1				Shaft for roller M405 Ø19/Ø12/Ø8.0 x 51 mmL HA.H1.C.SX.110PA - manual.AF	
M405C	X053C779G51	DC594A		Pinch roller ceramic without gear Ø57/Ø19 x 25(+7.0) mmT H'.H1.HA.C.SA.SB.SZ.SK.110PA - manual.AF	
M405C-set				Pinch roller assembly with gear HA.H1.C.SX.110PA - manual.AF	
M406-1	X185C963H01			Shaft for roller M406 Ø15 x 117 mmL only 90HA series	
M406-2	X186C827H01			Shaft for roller Ø17 x 121 mmL HA.SX series	
M406-3	X185C815H01			Shaft for roller Ø20/Ø15 x 104 mmL SZ series	
M406-4	X208D123H02			Shaft cover for roller Ø17 mm HA.SX series	

MITSUBISHI

M406C	X053C778G51	DC595A		Capstan roller ceramic without gear Ø57/Ø10 x 25(+7.0) mmT H'.H1.HA.C.SA.SB.SZ.SK.110PA - manual.AF	
M406C-set				Capstan roller assembly with gear HA.H1.C.SX.110PA - manual.AF	
M407C	X058D340G51	DA835A		Pinch roller ceramic Ø57/Ø19 x 18 mmT FX.RA.FX-K series - manual.AF	
M407C-set				M407C assembly with flange & gear Ø57 mm FX.RA.FX-K series - manual.AF	
M407-1				Roller Shaft FX series	
M407-2 M408-2		DD936		Spacer for roller(M407/M408) Ø57 x Ø18.25 x 25.9 mmT FX series	
M408-1	X186C827H04	DC809A DA894A		Roller shaft Ø17 x 121 mmL FX.FA series	
M408C	X058D339G51	DA834A		Capstan roller ceramic Ø57/Ø10 x 18 mmT FX.RA.FA20.FX-K series QA.PX05=capstan+pinch	
M408C-set				M408C with flange & gear Ø57 mm FX.RA.FA20.FX-K series QA.PX05=capstan+pinch	
M409-1	X268D780H01 X269D368H01			Roller shaft Ø12/Ø8.0 x 67 mmL FA series - AT	
M409-2	X268D846H01			Roller plate for gear with 2-Ø4.5 mm holes Ø57/ Ø12 x 7.5(13.5) mmT FA series - AT	
M409C	X055C008G51	DK339A		Pinch roller ceramic Ø57/Ø19 x 25 mmT FA series - AT	

MITSUBISHI

M409C-set				Pinch roller ceramic assembly FA series - AT	
M410-1				Roller shaft Ø17/Ø12/Ø10 x 129 mmL FA series - AT	
M410-2				Roller plate for gear Ø57 Ø12 x 7.5(14.5) mmT with 2-M4 & key hole	
M410C	X055C009G51	DK338A		Capstan roller ceramic Ø57/Ø12 x 25 mmT FA series - AT	
M410C-set				Pinch roller ceramic assembly FA series - AT	
M411C	X055C663G51	DBC52A		Capstan roller ceramic with key-home Ø80/Ø15 x 26 mmT FA.FA-S Advance.BA-8/24.NA.MV series	
M411-1				Gear Ø85X13	
M412C	X055C662G51	DBC53A		Pinch roller ceramic Ø80/Ø28 x 26 mmT FA.FA-S Advance.BA-8/24.NA.MV series	
M420	X058D501H01	DA841A		Gear Ø28 mm (- with spacer) for M405C/M406C & M407C/M408C C.H1.HA.SA.SB.SZ.SX.RA.FA - AT series	
M420-1	X054D257G51 X058D438H01			X058D438H01 Gear - Ø23 mm FX.FX-K series	
M421C	X203C607H03	DCA67A DH062A		S684D893P59 Lower roller / main tension ceramic Ø40/Ø22 x 14 mmT FX.QA.RA.FA.FA-S.FX-K.BA.NA.MV series	
M421-1				Roller shaft - Ø50 FX/FA/FA-20P	

MITSUBISHI

M421-2				Spacer	
M422	P840F000P69	D1707A		Replaced by XBRRD-F608HDD / SSF608DD Bearing 608V-stainless for lower roller (M421.421C) Ø25/Ø22 x Ø8.0 x 7.0 mmT FX.QA.RA.FA.FX-K.NA.MV series (AF3.AT)	
M423	X053C829G54 X053C920G51A			X053C920G51A Aspirator lower HA.SA.SB.SZ.SX.CX.FX.QA.RA.FA series	
M424	S601D899P01	DA218A		Wire feed DC motor upper 16CL-2501G HA.SA.SB.SZ.SX.CX.FX.FX-K - SK3.AF2.AF3	
M425	X058D912G51 X088D350G52	DAM30A		Replaced by X088D350G52 Urethan MT pinch roller A upper (needs : M458 bearing) Ø 50/Ø19 x 22 mmT RA.FA.FA-V.BA.NA.MV series - AT	
M426				Main tension rubber roller with 2-hole / 2-groove Ø113/Ø16 x 15(+32.5) mmT CX.FX.FX-K.FA series - AF3	
M426A				Main tension urethan roller SX series	
M426B	X053C559G52	DB233A		Urethan roller Ø103 x Ø16/Ø30 x 15(+20) mmT SX-10P.QA.PX.(FX type renewal) with 1-hole key-home / 2-groove	
M427	P840K002P36	DBC98A		Bearing 6902-H-20TIXZZ1 for M412C (pinch roller) Ø28/Ø15 x 7.0 mmT FA.FA-S.Advance. BA.NA.MV series - AT	
M428	X089D051G51	DEH11A		Main tension roller upper Ø80/Ø10 x 22 mmT MV - Intelligent AT	
M429C	X089D258H01(2)	DEH01A		MELA3-13008TA Lower roller ceramic with V groove Ø46/Ø25 x 16 mmT MV - Intelligent AT	
M430	P840K003P73	DEH02A		Bearing 608-H-20 for lower roller (DFA0800) - Intelligent AT Ø22 x Ø8.0 x 7.0 mmT MV series	

MITSUBISHI

M445	X199D297H02			Water cover upper for nozzle M202. M211 Ø200/Ø55 x 2.0 mmT F.G.H'.H1.H.SA.HA.SB.SZ.C series	
M445-2	X179D943H03	DD167A		Water cover upper for nozzle M215 Ø160/Ø60 x 2.0 mmT HA.SA.SB.SZ.SX.CX.FX30.FX-K.QA.RA.FA.FA-S. NA series - AF2.AF3.AT.AT2	
M451	X179D323H02			Cap screw upper & lower for current block N.F.F1.G.H.H'. (only upper H1.HA.C)	
M452	X176C706G02			Replaced by X176C706G52 Die block upper ass'y with M451 & connector 63 x 56 x 27 mm F1.G.H.H'.H1.HA.C series - manual	
M452-1				Plate for M452 N.F.F1.G.H.H' series - manual	
M452 UP					
M453-1	X176C610H01			Dies block body lower F1.G.H.H' series F1.G.H.H' - manual.SK1.SK2	
M453-2	X184D271H06 X194D428H02			Nozzle stopper for lower die block 43 x 48 mm F1.G.H.H' - manual.SK1.SK2	
M453-3	X179D410H01			Lower die block F.G.H.HA series - manual.SK1.SK2	
M453-4	X179D406H04			Wire guide for lower SK	
M453-set				Lower die block assembly wire guide without M453-4 F1.G.H.H' series - manual.AF	
M454	X177B046H03			Lower die block HA.H1(option) series - manual.AF	

MITSUBISHI

M454-set				Die block lower ass"y with M460 & M453-2 H1.HA series - manual.AF	
M455	X174D680H03	DC527A		Lower pulley "B" complete Ø45 mm F1.G.H.H' series - manual	
M456	X194D877H03 X183C442H01	DA231A		Lower roller stainless steel without bearing(M457) Ø40 x 14(+17) mmT CX.SX.PA.SA.SZ.HA.SB.H1 - manual.AF	
M456AV				Lower roller	
M456P				Lower roller	
M457	S859N319P33 S859N319P10	DA189A		S859N319P10 Bearing SSRF-1970DD/SSF607DD(M607V) for M456 Ø22/Ø19X/Ø7.0 x 6.0 mmT CX.SX.PA.SA.SZ.HA.SB.H1.PX05	
M458	S859N319P31	DA197A		Bearing SSRF-1980DD (M698V) - pinch roller bearing for M401C.M403C.M405C.M407C.409C.M425 Ø22/Ø19/Ø8.0 x 6.0 mmT F.G.H.H1.HA.C.SA.SB.SZ.SX.CX.QA.FA.RA.MV	
M459	X177B713H02			Lower roller base block DWC-HA/H1/90C/CR/CX - manual	
M459-1	X198D777H01			Cover plastic lower Ø42 x 10 mmT H1.HA series - AF1	
M459-3	X198D776H01			Lower cover (pipe holder) plastic or brass Ø36/Ø16 x 25 mmT H1.HA series - manual.AF	
M459-4	S913N313P11	DA361A		Wave washer for M456 16.3 x 12.7 mm H1.HA.SA.SB.SZ.SX.CX - manual.AF	
M459-5	X194D873H01	DA094A		Spacer for M456 Ø18.8 x Ø12 x 1.0 mmT H1.HA.SA.SB.SZ.SX.CX - manual.AF	

MITSUBISHI

M459-6	S922N040P07	DB329A		Retaining ring for M456 H1.HA.SA.SB.SZ.SX.CX - manual.AF	
M459-7	X208D601H01			Guide cover assembly H1.HA.SA.SB.SZ.CX.SX series	
M459F-set				Guide base M454+M459 set HA series - AF1	
M459-set				Guide block lower DWC90C - manual	
M460	X189D690H04			Stainless clamping for M454 Ø35 mm HA.H1.H.SZ series - AF1	
M460-1				Stainless clamping for M454 Ø35.50 mm (OD size : M460+0.50 mm) HA.H1.H.SZ series (AF1)	
M461	X053C522G51	DA168A		Pinch roller upper gear type with M463 clock wise Ø22 x 16 mmT H1.HA.SA.SB.SZ.SX.CX.FX.FX-K series	
M461-1	X194D790H02			Shaft for M461 upper Ø10 x 32.5 mmL H1.HA.SA.SB.SZ.SX.CX.FX.FX-K series	
M462	X053C522G52	DA543A		Feed roller upper gear type with M463 reverse clock wise Ø22 x 16 mmT	
M463	S811N724P02			Bearing NF-06 for M461.M462 oneway clutch type Ø12/Ø6.0 x 9.9 mm H1.HA.SA...SX.CX.FX.FX-K - manual.AF2.AF3	
M463-1	S859N219P39			Ball bearing XBRRD-SSL1260ZZ Ø16/Ø6.0 x 4.0 mmT 110HA - AWT H1.HA.SA.SB.SZ.SX.CX.FX.FX-K series	
M464	X058D991G51	DH883A		Upper pinch roller Ø18/Ø6.0 x 14 mmL (FA-20PS series only)	

MITSUBISHI

M465	X058D991G52	DH871A		Upper pinch roller Ø18/Ø6.0 x 21 mmL FA-20PS series only	
M470	X209D212H01 X068D026G51	DA886A		X068D026G51 Holder lower for M009 A.SA.SB.SZ.SX.CX.FX.QA.RA.FA.FA-V AF2.AF3.AT	
M471	X208D405H01			Holder upper for M009 HA.SA.SB.SZ.SX.CX series - AF2.AF3	
M472	X058D133H01	DA812A		Shaft coupling FX.FX-K.RA.FA.FA20M	
M500	X055C959H01 X055C012H01	DDN27A DK837A		Motor speed control 100V - Panasonic M71X15S4LG for cutter (M501) CX series - end period FX.FX-K.RA.FA.BA.FA-S advance.NA	
M501	S684D894P09A	D2393A		X056C326G51(2) Cutter unit - wire Ø0.15-3.0 mm CX series - end period. FX.FX-K.RA.FA.BA.NA.FA-S.Advance.MV	
M501-1	X058D376H01	DAY61A		Replaced by X268D92H01 Fixed blade tungsten carbide for M501 CX series - end period. FX.FX-K.RA.FA.BA.NA.FA-S.Advance.	
M501-2	X203C145H04	DB172A		Aspirator plastic material for cutter unit M501 Ø30 x 79 mmL CX series - end period. FX.FX-K.RA.FA.BA.NA.FA-S.Advance.	
M501-3	X258D350H01	DA915A		Detecting nozzle for cutter unit M501 CX series - end period. FX.FX-K.RA.FA.BA.NA.FA-S.Advance.	
M501-4	X258D168G54			Coupling for cutter unit M501 CX series - end period. FX.FX-K.RA.FA.BA.NA.FA-S.Advance.	
M501-5	X258D320G51			Pipe end head (Quill end) for cutter unit M501 (LOC 36) Ø25 x 58 mmL FX-K series - AF3	
M501-6	X058D503G51			Pipe holder for cutter unit M501 CX series - end period FX series	

MITSUBISHI

M501-7-CX	X254D700G52			Ceramic transfer pipe end wire guide for CX series - end period refer to "M501-5"	
M501A	X056C326G51(2)			S684D894P09A Cutter unit for fine wire Ø0.10 mm wire option CX series - end period. FX.FX-K.RA.FA.BA.NA.FA-S Advance.	
M501B				Body for cutter unit M501 CX series - end period FX series	
M501BE				Bearing 6901RS for cutter unit M501 Ø24 x Ø12 x 6.0 mmT CX series - end period FX.FA series	
M501C				Cap for cutter unit M501 CX series - end period FX.FA series	
M501M				Cutter main blade - tungsten carbide	
M501MG				Cutter main blade long life - Tin coated	
M501S				Spacer for cutter unit M501 CX series - end period FX series	
M502	X058D186G51	DB789A		Cutter unit 62 x 62 x 36 mmH CX(beginning period) - AF3	
M502-1	X058D376H01			Fixed blade tungsten CX(beginning period) - AF3	
M502BE				Beraing CX(beginning period) - AF3	
M502M				Main blade	


MITSUBISHI

M502MG				Main blade long life - Tin coated	
M600-1	X182B893H01			Upper die block assembly with door for nozzle M207 105 x 66 x 47 mm FX10/20 series - manual.AF	
M601	X187B284H01			Upper die block with door - with side a hole 80 x 69 x 47 mm FX-K.QA series - manual.AF	
M601P					
M601-1				Door for M601 FX-K.QA series - manual.AF	
M602 Me704	X181A280G51			Refer to Me704 Lower roller base for M456 roller 70 x 98 x 98 mm SX series - manual.AF	
M602-set					
M603	X181A735G51			Lower roller base block for M421 70 x 98 x 98 mm FX(beginning period).FX-K.FA - manual.AF	
M603F-set				Guide base lower M603 set + E701 FX series	
M603-set				Guide base lower M603 + M423 + M422 + M421C + M421-1 FX series	
M604	X181A184G52			Guide base lower (Me701C) FA.RA series	
M605	X187B580H01			Dies guide block upper without door for sink-tank type L=80 x 70 x 47 mm FA series	



MITSUBISHI

M605-1				Block door FA - water tank type	
M605-2	X268D104H01			Plate block for door Plate for carbide hook FA series	
M605-3				Air cylinder for upper FA series	
M605-4				Air cylinder nipple FA series	
M605-set	X187B580H01 X192B442H02			Upper die block with door ass'y for FA water tank type series side 5-holes 80 x 70 x 47 mm	
M606A				Upper die block with door ass'y (M601-1) for RA water flushing type series 80 x 70 x 47 mm (same as M601 door)	
M606B	X187B532H01	DK183A		Upper die block with door ass'y (M605-1) for RA water tank type series side 5 pcs-holes (same as M605 door) 80 x 47 x 69 mmL	
Me151	X053C902G51			Guide "U" upper HA.CX.SA.SX series	
Me152	X056C146G51			Guide "U" for Me702UP CX - AF3	
Me153	X055C631G52			Guide "U" upper - Ø0.40 mm BA series	
Me170	X260D821N51			Dies driver CX.SA.SX.FX.FA series	
Me311				Isolator plate lower Ø115 x 110 x 20 mmT	






MITSUBISHI

Me312				Isolator plate lower 156 x 80.5 x 8.0 mmT 90PH series	
Me313				Isolator plate lower Ø38 x x 74 x 4.0 mm AF1 type	
Me314	X053C901G51			Isolator plate upper 51 x 82 x 32.5 mm HA.SZ.SB series - AF2	
Me421-1	X196C131H01			Roller shaft Ø8.0/Ø43.5/Ø50 x 45 mmT FX.FA.RA.FA20P series	
Me481	P421A030P00			Limit switch counter clockwise - D2MC-01ELA	
Me481-1				Wire breakage detection LS actuator lever protection - ceramic tube Ø2.0 x 40(6) mmL QA.SZ series	
Me482	X184D885H01			First wire pulley with bearing Ø60/Ø50 x Ø9.0 x 44 mmL	
Me483	X054D554H01			Wire guide pulley with bearing Ø80/Ø19 x 20 mmT	
Me484	X054D121H02			Pulley for wire guide upper with bearing Ø66/Ø19 x 6.0 mmT	
Me484-1				Bearing for Me484	
Me484A				Pully with bearing Ø66/Ø19 x 6.0 mmT FA series	
Me484B				Pully with bearing Ø86/Ø19x 6.0 mmT FA series	

MITSUBISHI

Me485	X178D933H02			Felt plate Ø45/Ø10 x 10 mmT F.F1.H1.HA - manual series	
Me485-1	X174D199H02			Felt brake Ø45/Ø10 x 7.0 mmT QA series	
Me485-2				Spring	
Me485-3				Felt Plate	
Me486	X053C175G51			Urethan roller Ø100/Ø16 x 16 mmT F.G.H.HA series	
Me486-1				BR-12 NTN bearing for urethane roller	
Me487				Felt brake Ø70/Ø10/8.0 mmT	
Me487-1				Power feeder	
Me488	X058D429H01	DB009A M3712		DELA3-13417TA Pulley with bearing Ø90/Ø7.8/Ø19 x 20 mmT SA.SX.CX.FX.FX-K.PX.FA.QA series	
Me489	X264D949H01			Pulley with bearing Ø90/Ø19 x 25 mmT	
Me489-1				Shaft	
Me490C	X056C839G51 X056C851G51			Main tension ceramic roller Ø80 x Ø10 x 22 mmT RA.FA series - AT	







MITSUBISHI

Me491				Pulley with bearing Ø90/Ø19 x 32 mmT	
Me492				Urethan roller Ø103/Ø16 x16 mmT SA.SZ.QA series	
Me493				Pulley with bearing Ø64/Ø62 x 22 mmL SB series	
Me494				Pulley with bearing Ø60/Ø19 x 104 mmL SB series	
Me495				Pulley with bearing Ø49/Ø19 x 106 mmL P series	
Me496	X188D208H02			Pulley with bearing Ø62/Ø6.0 mm (SK type)	
Me497				Motor braket for bobbin	
Me498				Motor braket for bobbin	
Me510-1				Pipe end	
Me511				Aspirator Block	
Me512				Ceramic nozzle	
Me701-1	X208D528H02	DC089A		Nozzle stopper with 2 pins for lower die block 46 x 48 mm HA.SA.SB.SZ.SX.CX.QA.FX.RA.FA series	

MITSUBISHI

Me701-2	X186C819H01 X205C102H01			Die guide block door cover FA.RA series.- AF2	
Me701-2	X186C819H02			Die guide block cover set with pin.packing.screw HA300.SA.SX.CX.FX.FX-K - AF2	
Me701-3	X054D943H01	DA779A		Plate spring for door lower die block 7.0 x 40 x 0.8 mm FA20.FX10.RA90.CX.SX.FX series - AF2	
Me701-4	X927D266H01 X208D555H01			Packing for door FX series - AF3.AT	
Me701A	X182A995H01	DC394A		Lower guide block with Ø6.8 mm CX.FX.FX-K.QA series	
Me701B	X182A995H02	DJ943A		Dies block lower with 2-Ø6.8 mm FX series	
Me701C	X187B621H01			Lower die guide block with 2-M4 tap & 2-Ø6.8 mm FA.FA-V.FA-S.Advance series	
Me701C-1				Block (nipple cover)	
Me701D	X182B684H01	DK259A		Lower guide block with 2-Ø6.8 mm & 2-M4 with tap for cover & Zn plate for anti-corrosion FA.RA - AF2 series	
Me702UP				Upper die guide block - rebuilding type SA.SB.SZ series - AF	
Me703	X182A183G51			Lower roller base block for M456 roller 97 x 74 x 70 mm HA.SZ series - AF2	
Me705-1				Plastic door only for Me705A or 705B type SA.SX.CX series	

MITSUBISHI

Me705A	X182B598H01			Upper die guide block - large type with plastic door (set of M471 & Me701-3) 65 x 63 x 43 mm HA.SZ.CX series - AF2	
Me705B	X182B667H21			Upper die guide block - small type with plastic door SA.SA series	
Me705UP				Upper die guide block - rebuilding type with steel door assembly	
Me706-set				Guide base + roller base lower set SZ series - AF2	
Me707				Lower die block FA series	
Me707-1				Pipe holer FA series	
Me708-set				Upper die guide block for M471 with steel door (side - 5 holes) CX series	
Me709				Die block BA series	
Me801				Power or discharge cable upper & lower set 90/110/200H.90/110/200HA series	
Me802				Power or discharge cable L=600 mm 90SB series	
Me804				Power or discharge cable upper & lower set FX10 series	
Me840	X182B501G51			Collection acrylic cover SA.SX series	





MITSUBISHI

Me841	X182B437G51			Collection acrylic cover SZ.HA series	
Me842	S684B898P30			Collection acrylic cover for rear out H. H1.H2.HA series	
Me843				Collection acrylic cover QA series	
Me844				Collection acrylic cover FA series	
Me845-1	X054D165H03			X054D165H03 Shaft for Me845 roller SK2 type	
Me845-2	X184D570K01			Belt gear Ø47/Ø10 x 10.5 mmT SK2 type	
Me845-3	X184D571K01			Belt gear Ø47/Ø16 x 3.0 mmT	
Me845-4	X183C107H01			Block SUS for Me845(roller) lower SK2 type	
Me845C				Lower ceramic roller - capstan roller Ø57/Ø10 x 12 mmT DWC90H - SK2 type	
Me846C				Lower pinch roller MR-456-SK1P Ø25/Ø19 x 9.0 mmT	
Me847				Pipe holder AF1 type	
Me848				Collection spring for manual types	




MITSUBISHI

Me849				Lower roller with shaft (Me849-1) DWC-H1 series - SK3 Ø50/Ø19 x 18 mmT	
Me849-1				Shaft for Me849 roller SK2 type	
Me851	X053C988G51			Seal plate SA.SZ.SX series	
Me852	X859N219P33			Beraring 6800ZZ	
Me853	S859N219P06	DA690A		Bearing SS1760ZZ - 606ZZ/1K SA.SZ.SX series	
Me854	X058D685H01(2)	M1712		MELA3-16212A Packing rubber B SA.SZ.SX10.FX10.QA10 series	
Me857				BS bolt for slide plate (Me851) SZ.SA.SX series	
Me858				Collection shaft "B" M6 x 69 mmL	
Me858-1				Collection shaft "B" M8 x 80 mmL	
Me859				Collection shaft "A" Ø14/Ø10 x 73 mmL	
Me860				Bellow circle type for work tank SZ series	
Me861				Bellow circle type for work tank SA.SX series	

MITSUBISHI

Me862				Bellow for work tank 90H series	
Me863				Bellow for work tank 110H series	
Me864				Bellow for work tank 200H series	
Me865				Slide plate large	
Me871A				Gip strip for axis - U.V 20 x 27 x 200 mm manual	
Me871B				Gip strip for axis - U.V 20 x 27 x 160 mm manual	
Me872				Solenoid block for repair set	
Me873				Cover for axis - U.V 90F.90H.90G.90HA series	
Me874				Cover for axis - U.V 110H.110HA.200H.200HA series	
Me875				Cover for axis - U.V HA series	
Me876				Cover for axis - U.V SA.SX series	
Me877				Stopper manual for axis - U.V	

MITSUBISHI

Me878				Gear Shaft for Z-arm axis	
Me879				U.V Cover CR	
Me880				Division block H.HA series	
Me900	X176C876G51			Skirt (curtain) - front L=110 mm	
Z041M	S801D824P01			Flow-meter C-30FN-10 3/8 . C30-SD2 "TOFCO" Japan	
Z045M	S649D899P14	DA671A		Float switch for Z-axis water tank "OLV-2A" SA.SB.SZ.SX.CX.FX.FX-K.QA.RA.FA.FA-V FA-S.BA.NA series	